

USB-CTM Pro Multiport Hub 5 Port CMH-05





HDMI 4K/60Hz video connection



Gigabit Ethernet



2x Data Ports USB-A 3.2 Gen1



Eco friendly packaging

No more limits for your laptop

Introducing the USB-C Pro Multiport Hub 5 Port CMH-05, a connectivity powerhouse for streamlined productivity. Unleash enhanced connectivity by converting a single USB-C port into five versatile ports, including USB 3.2 and HDMI.

Swift data transfer is at your fingertips with USB 3.2 Gen 1 technology, ensuring efficient workflows and minimal wait times. Immerse yourself in crisp 4K video output through the HDMI port, ideal for presentations, movie watching, or expanding your workspace with crystal-clear visuals. Never worry about running out of battery during critical tasks with power delivery support and pass-through charging capabilities (where supported).


Elevate your connectivity game with the CMH-05, your go-to solution for seamless and efficient multitasking.

www.verbatim.com



USB-CTM Pro Multiport Hub 5 Port CMH-05

General Information		
Material	Aluminum+ABS	
Colour	Silver	
Interfaces		
Host Connection	USB-C™ 3.1 Gen2 with up to 85W power pass-through	
Cable length	15 cm	
Video Ports	1x HDMI up to 4K@60Hz (3840x2160) compatible with TV screens	
Ethernet Port	1x RJ45 Gigabit Ethernet up to 1Gb/s	
USB-A ports	2x USB-A 3.2 Gen1, 5Gb/s data transmission, downwards compatible with USB 2.0, 5V 0.9A@4.5W	
USB-C ports	1x USB-C 3.2 Gen1, 5Gb/s data transmission compatible with PD (Power Delivery), Input Power: up to 100W (15W is reserved for other ports)	
Other Features		
Certificates	EAC/CE/UKCA/FCC	
ROHS/REACH compliance	Yes	
Storage and Operating (Conditions	
Operating Temperature	0°C ~ +40°C	
Storage Temperature	Femperature -20°C ~ +70°C	
Operating Humidity 10% ~ 85% RH (no condensation)		



USB-CTM Pro Multiport Hub 5 Port CMH-05



PN	Description	Bar Code	EAN128 Code	EAN14 Code
32150	USB-C Pro Multiport Hub 5 Port CMH-05	023942321507	(02)00023942321507(37)10(91)891 (02)00023942321507(37)40(91)891	20023942321501 50023942321502

Logistic Information	
Product Dimensions L x W x H	112 x 49 x 15.5mm
Product Weight	83 grams
Units per Pack	1
Pack Dimensions L x W x H	155 x 85 x 20mm
Pack Weight	127
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	325 x 97 x 110mm
Inner Carton Weight	1 380
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	345 x 215 x 250mm
Master Cartons Weight	5 920
Master Cartons per Layer	12
Layers per Pallet	4
Units per Pallet	1 920

USB-C[™] Pro Multiport Hub 5 Port



Receiver Front Angled

CMH-05



Left Side Angled



Top Angled



Right Side Angled Lit



Packaging flat



Lifestyle 2



Receiver Back Angled



Right Side Angled



Ports



Packaging 3D



Lifestyle 1



Lifestyle 3



System Requirements:

- Interface: USB-C must support video output.
- OS: Windows OS 7/8/10/11 (X86/ X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents:

- USB-C Pro Multiport Hub
- Quick Start Guide