



# Store 'n' Go M.2 NVMe<sup>®</sup> SSD Enclosure Kit

USB 3.2 Gen 2



## Fast storage. Zero tools.

The Store 'n' Go M.2 NVMe SSD enclosure unlocks the full potential of NVMe technology, delivering fast, reliable performance with transfer speeds up to 10Gbps and read/write speeds up to 1000MB/s\*.

Ideal for large file transfers, backups and storage expansion, it offers a smooth external SSD experience in a compact, portable design. Its tool-free enclosure allows quick SSD installation or replacement with no screws required, while USB bus power removes the need for an external supply.

Supporting NVMe PCIe M-Key and B+M Key SSDs in multiple form factors, it also includes an optional heatsink and a built-in red rubber cable tidy for easy transport.

\*For optimal performance, the enclosure should be connected to a USB 3.2 Gen 2 host controller or higher.



USB-C



Up to  
10 Gbps



Tool-Free  
Installation




Compact  
Design



General Information	
Product dimensions L x W x H	102 x 34 x 12 mm
Product weight	18 g (without cable), 32 g (with cable)
Material	ABS+PC
Colour	Black with Red rubber for cable tidy
Interface:	USB-C 3.2 Gen 2
Data Transfer Rate	up to 10 Gbps
Cable	USB-C to C cable with integrated USB-C to Adapter
Cable length:	15 cm without connectors, 23 cm with all connectors incl. adapter
Supported SSD's:	Supported SSD size: 22 x 30 mm; 22 x 42 mm; 22 x 60 mm; 22 x 80 mm Support of NVMe PCIe M-Key or B+M Key No SATA III support
Read/write speed	Up to 1000MB/s*
UASP support:	Yes
TRIM support Rate	Yes

\*For optimal performance, the drive must be connected to a USB 3.2 Gen 2 host controller or higher.



### Storage and Operating Conditions

Storage temperature	-20 °C to +65 °C
Operating temperature	0 °C to +45 °C
Operating humidity	20%–65% RH

PN	Description	MOQ	Tariff Code	Bar Code	EAN128 Code	EAN14 Code
32261	Verbatim Store 'n' Go M.2 NVMe USB 3.2 Gen 2 SSD Enclosure Kit	10	84733080	0023942322610	(02)00023942322610(37)10(91)468	50023942322615

### Logistic Information

Product dimensions L x W x H	102 x 34 x 12 mm
Product weight	18 g (without cable), 32 g (with cable)
Units per pack	1
Pack dimensions L x W x H	110 without hanger / 130 with hanger x 70 x 20 mm
Pack weight	55 g
Units per inner carton	n/a
Inner carton dimensions L x W x H	n/a
Inner carton weight	n/a
Units per outer carton	10
Outer carton dimensions L x W x H	235 x 153 x 103
Outer cartons weight	740
Outer cartons per layer	30
Layers per pallet	9
Units per pallet	2700



## Pack Contents

- Verbatim Store 'n' Go M.2 NVMe SSD Enclosure Kit
- USB-C to USB-C cable with USB- C to A adapter
- Optional heatsink
- Quick Start Guide



## System Requirements

- Windows 11 / Windows 10
- macOS
- Linux
- Android
- iOS
- USB-C or USB-A port

## Warranty

2 year limited warranty

For more information, please contact your key account manager



Publication date: 05/02/2026  
© 2026 Verbatim. All rights reserved.  
All brand names are registered trademarks of their respective owners.  
Unauthorized use strictly prohibited.  
Specifications are subject to change without prior notice.

