

Z9 Iceberg MS

- Simple and Distinctive Design
- Top Removable Front Dust Filter and Bottom Magnetic Dust Filter
- Premium Side Tempered Glass
- High Performance Addressable RGB Fans (Pre installed 140mm x 4)
- ARGB Controller Included (3Pin, 5V) x 3 Ports, (4Pin, PWM) x 6 Ports
- Pre-installed VGA Holder



Minimalistic design


A minimalistic design inspired by a glacier and its minimal lines

Maximum Ventilation and Airflow

Front Full Mesh Design for great ventilation & 4 Addressable RGB fans




ZALMAN's modern and patterned mesh front panels and addressable RGB


fans provide optimal airflow



Top Removable Front Dust Filter

Easy to clean and sturdy dust filters prevent any dust








Premium Side Tempered Glass

A thick 4mm tempered glass panel allows for easy viewing of the internal computer components.

The tempered glass side panel is protected utilizing an edge guard ensures the tempered glass panel will not slide out of proper placement during installation and removal. This edge guard protects the glass and makes it relatively vulnerable to impact and allows for access with removal of only 2 hand tightened screws.



Premium Tempered Glass
Thickness : 4mm




Protection
Sturdy Tempered Glass




Easy Access
Easy side panel mounting with thumb screws


USB3.0, USB2.0 and USB3.1 Gen2 Speed Comparison



USB3.1 Gen2 (TYPE-C) Maximum Speed



USB3.0 Maximum Speed



USB2.0 Maximum Speed

1 USB3.1 Gen2

2 USB3.0

2 USB2.0



Future-Proof Top I/O Panel

Power Button with LED Light / USB 3.0 Ports / USB 2.0 Ports / Microphone Jack / Headphone Jack / Reset Button / LED Button / USB3.1 Gen2 Type-C

Removable Magnetic Dust Filter



Sliding Type Bottom Dust Filter



Dust Filter Handle

Anti-Vibration Rubber Pad




Maximum Airflow and Ventilation

Pre-installed 140mm ARGB fans (Front x 3, Rear x 1) and optimized ventilation providing fast heat dissipation in the case (Supports up to 7 fans)

Fan Specifications

- Dimensions : 140 x 140 x 25(T)mm
- Bearing Type : Hydro Bearing
- Max Fan Speed : 900 RPM \pm 10%
- Max Airflow : 43.26 CFM
- Noise Level : 21.44 dB(A)
- Fan : 3-pin
- LED : 3-Pin(Addressable RGB)



Illuminate Your PC with Multi Connection

Up to 6 sets of Addressable RGB headers to meet your needs of connecting devices
(ARGB Controller Included [(3Pin, 5V) x 3 Ports], [(4Pin, PWM) x 6 Ports])



Pre-Installed Fan

Front : 3 x 140mm (ARGB)

Rear : 1 x 140mm (ARGB)





Fan Support

Front : 3 x 120mm / 3 x 140mm / 2 x 200mm

Top : 3 x 120mm / 2 x 140mm

Rear : 1 x 120mm / 1 x 140mm





Radiator Configuration

Front : 120mm / 140mm / 240mm / 280mm / 360mm
Top : 120mm / 140mm / 240mm / 280mm / 360mm
Rear : 120mm / 140mm

①


②

Rail Fixture for DIY Liquid Cooling System

Pre-Installed VGA Holder

Pre-installed VGA Holder Management.
Rail Fixture for DIY Liquid Cooling System

VGA PCIe Power Connectors Guide





Riser Cable Mount Ready



VERSATILE VGA MOUNTING

Users can show off GPU and stay secure at the same time.



Motherboard Support

EATX / ATX / mATX / Mini-ITX




※ E-ATX : Remove the cable cover
when installing E-ATX mainboard.

Components Clearance



Cooler Supports up to 185mm

VGA Supports up to 390mm




HDD Supports up to 4 x 3.5" HDD

SSD Supports up to 5 x 2.5" SSD

MAX PSU Length

Max PSU Length : 390mm (Without Drive Bay)


Supports up to 270mm



※ Tool-free drive bays can be easily relocated or removed



Rear Layout



Specifications

Model	Materials	Weight	Dimensions	Case Form Factor
Z9 Iceberg MS	Steel, Plastic, Tempered Glass	9.6kg	478(D) x 245(W) x 496(H)mm	ATX Mid-Tower
Motherboard Support	Fans Support	Fan(s) Included	Drive Bays	Radiator Support
E-ATX / ATX / mATX / Mini-ITX	Front : 3 x 120mm / 3 x 140mm / 2 x 200mm(H: 25mm) Top : 3 x 120mm / 2 x 140mm Rear : 1 x 120mm / 1 x 140mm	Front : 3 x 140mm (ARGB) Rear : 1 x 140mm (ARGB)	3.5" : 2 x 2.5" SSD/HDD or 3.5" HDD 2.5" : 3 x 2.5" SSD/HDD or 2 x 3.5" HDD	Front : 120mm / 140mm / 240mm / 280mm / 360mm Top : 120mm / 140mm / 240mm / 280mm / 360mm Rear : 120mm / 140mm
Max VGA Length	Max CPU Cooler Height	Max PSU Length	PCI Expansion Slots	
390mm	185mm	270mm	7 pcs 3 pcs (수직 65mm)	
I/O Ports				
USB3.0 x 2, USB2.0 x 2, USB 3.1 Gen2 Type-C x 1, MIC, HD AUDIO, LED Button, Reset Button, Power Button with HDD LED				

