


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Dalle VA pour des couleurs et une luminosité optimales
- Haute résolution UWQHD pour des images aux détails parfaits
- Taux de rafraîchissement de 180 Hz pour un affichage sans ralentissement
- Temps de réponse MPRT de 1 ms pour des images sans déchirures ni saccades
- Night Vision pour mieux discerner les détails dans les zones sombres
- Adaptive-Sync pour des images extrêmement fluides
- Réduction de la lumière bleue



1. 5-Way Joystick Navigator
2. 2 x HDMI™ (2.0b)
3. DisplayPort (1.4a)
4. 1 x Earphone out
5. DC Power jack
6. kensington lock



SPECIFICATION

Modèle	Part No	9S6-3DD14H-002
	MKT Name	MAG 345CQR
	MKT Spec	MAG 345CQR
	Color	ID1/Black-Black
	Model	3DD1
Ports E/S (arrière)	Card Reader	N/A
Alimentation	Power Type	External Adaptor 19V 3.42A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 100 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimensions et poids	Weight (Net kg)	7.75
	Weight (Gross kg)	11.3
Dimensions du produit avec support (LxPxH)	Product Dimension with Stand (WxDxH) (mm)	797.53 x 332.31 x 518.9
Poids	Weight Without Stand (kg)	5.5
Garantie	Warranty	36M
Accessoires	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Code-barre	EAN	4711377140799



É C R A N S G A M I N G

MAG 345CQR

M A G 3 4 5 C Q R

Affichage	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22(H) x 333.72(V)
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch (mm)	0.23175(H)x0.23175(V)
	HDR (High dynamic range)	HDR Ready
	Refresh Rate	180Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	120%/99%
	sRGB (CIE1931 area percentage/overlap)	125%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	103%/90%
	Adobe RGB (CIE1931 area percentage/overlap)	92%/84%
	DCI-P3 (CIE1976 area percentage/overlap)	95%/95%
	DCI-P3 (CIE1931 area percentage/overlap)	90%/90%
	Rec.709 (CIE1976 area percentage/overlap)	120%/99%
	Rec.709 (CIE1931 area percentage/overlap)	125%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	70%/70%
	Rec.2020 (CIE1931 area percentage/overlap)	65%/65%
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
Dimensions et poids (carton)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A