

## PATH TO THE FUTURE

L'écran MSI PRO MP271 est un écran professionnel qui prend soin de vos yeux grâce à des technologies de réduction de la lumière bleue et antiscintillement. Ses connecteurs HDMI et VGA vous permettent de connecter vos périphériques et sa dalle IPS assure des couleurs et une luminosité parfaites. Cet écran est pensé pour la programmation, le codage informatique mais l'apprentissage à la maison et pourra être utilisé par les adultes comme les enfants.



## Selling Points

### PRO MP271

**Écran MSI PRO MP271 Eye Care - Un écran pensé pour mieux travailler et étudier à la maison.**

**Écran 27", Full HD, technologie de réduction de la lumière bleue et antiscintillement, pied de support réglable, logiciel MSI DisplayKit, support de la norme de fixation VESA et haut-parleurs intégrés.**

- Technologies de réduction de la lumière bleue et antiscintillement ayant reçu la certification TÜV
- Technologies de réduction de la lumière bleue et antiscintillement pour une bonne protection contre la fatigue et la sécheresse oculaire
- Dalle antireflet pour un affichage précis et une bonne protection des yeux lors d'une utilisation prolongée
- Écran de 27" parfait pour la programmation, le codage informatique et l'apprentissage
- Design ergonomique permettant de régler l'inclinaison de l'écran pour un confort d'utilisation total
- Logiciel MSI Display Kit pour paramétrer au mieux l'affichage du moniteur et pour bénéficier d'une expérience utilisateur impeccable
- Connecteurs HDMI et D-Sub (VGA) pour connecter vos périphériques
- Compatibilité à la norme de fixation VESA
- Haut-parleurs intégrés



Picture and logos: Pictures Business Productivity Monitor

1. 1 x HDMI (1.4b) 1 x D-Sub (VGA) 1 x entrée audio 1 x sortie audio 1 x encoche Kensington



## Specification

USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 2.0 Type A	NA
USB 2.0 Type C	NA
Card Reader	NA
Inside Carton Dimension (WxDxH) (mm)	684 x 156 x 448
Inside Carton Dimension (WxDxH) (inch)	26.93 x 6.14 x 17.64
Weight (Net kg)	4.2
Weight (Gross kg)	6.2
Warranty	24M
AC Adaptor	0
Power Cord	1
Warranty Card	1
Quick Guide	1
SKU Number	0
EAN	4719072766016
UPC	824142230084
UCC14	10824142230081
Thunderbolt	NA
Local Dimming	NA
Screen Size	27" (69 cm)
Active Display Area (mm)	597.888(H) x 336.312(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.3114(H)X0.3114(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	NA
Activated Range	48Hz-75Hz
HDR (High dynamic range)	NA
SDR Brightness (nits)	250
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	30~83 KHz(H) / 56~75 Hz(V)
Refresh Rate	75Hz
Response Time (MPRT)	NA
Response Time (GTG)	5ms
Response Time (Tr + Tf)	NA
View Angles	178°(H)/178°(V)
NTSC (CIE1976 area percentageoverlap)	81.2%/79.1%



BUSINESS PRODUCTIVITY MONITOR

## PRO MP271

PRO MP271

NTSC (CIE1931 area percentageoverlap)	72.23%/71.7%
sRGB (CIE1976 area percentageoverlap)	93.1%/90.2%
sRGB (CIE1931 area percentageoverlap)	101.98%/95.9%
Adobe RGB (CIE1976 area percentageoverlap)	79.8%/79.3%
Adobe RGB (CIE1931 area percentageoverlap)	75.58%/75%
DCI-P3 (CIE1976 area percentageoverlap)	74.2%/74.2%
DCI-P3 (CIE1931 area percentageoverlap)	75.18%/75.2%
Rec.709 (CIE1976 area percentageoverlap)	93.1%/90.2%
Rec.709 (CIE1931 area percentageoverlap)	101.98%/95.9%
Surface Treatment	Anti-glare
Display Colors	16.7M
Color bit	8 bits (6 bits + FRC)
Note_DP	NA
Note_HDMI	1920 x 1080 (Up to 60Hz)
Note_DVI	N/A
HDMI	1
HDMI version	1.4
HDMI HDCP version	NA
DisplayPort	NA
DisplayPort version	NA
DisplayPort HDCP version	NA
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	NA
DVI	NA
D-Sub	1
Mic-in	1
Mic-in upstream	N/A
Headphone-out	1
Audio Combo	NA
USB 2.0 Type B	NA
USB 3.2 Gen 1 Type B	NA
Lock type	Kensington Lock
Power Type	Power Cable
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	NA
Power Cord Type	C5
QC Output	NA
QC Output Power	NA
PD Output	NA
PD Output Power	NA
Adjustment (Tilt)	-5° ~ 23°
Adjustment (Swivel)	NA
Adjustment (Height)	NA
Adjustment (Pivot)	NA
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	699 x 171 x 473
Outer Carton Dimension (WxDxH) (inch)	27.52 x 6.73 x 18.62
Product Dimension with Stand (WxDxH) (mm)	612.6 x 219.7 x 456.8
Product Dimension with Stand (WxDxH) (inch)	24.12 x 8.65 x 17.98
Product Dimension without Stand (WxDxH) (mm)	612.6 x 48.8 x 367.1
Product Dimension without Stand (WxDxH) (inch)	24.12 x 1.92 x 14.45
Stand Dimension (WxDxH) (mm)	219.7 x 219.7 x 180.4
Stand Dimension (WxDxH) (inch)	8.65 x 8.65 x 7.1
Weight (Net lbs)	9.26
Weight (Gross lbs)	13.67
Feature	Frameless design
Certification	全球(WW)/CB
DisplayPort Cable	0
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	0
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0



B U S I N E S S P R O D U C T I V I T Y M O N I T O R

# PRO MP271

PRO MP271

<b>Thunderbolt Cable</b>	0
<b>VGA Cable</b>	0
<b>3.5mm audio Cable</b>	0
<b>3.5mm combo audio Cable</b>	0