



DARK POWER 14

1200W • 1000W • 850W

IDEAL APPLICATIONS

Advanced, high-resolution gaming with latest graphics cards
Overclocked next-gen systems
Media creation and render workstations

HIGHLIGHTS

80 PLUS® Titanium and Cybenetics Titanium*
Convenient switch for active and semi-passive cooling
Fulfills all ATX 3.1 specifications

No Compromise Silence And Performance

Dark Power 14 claims nothing less than the top spot. This powerhouse features a high-performance heat sink design with an integrated fan and can be operated in either active or semi-passive mode.

Highlights

- 80 PLUS® Titanium and Cybenetics Titanium* efficiency (up to 95.57%)
- ATX 3.1 PSU with full support for PCIe 5.1 GPUs and GPUs with 6+2-pin connector
- Active and semi-passive cooling can be selected with the push of a button
- Aluminum heat sink to support the semi-passive cooling concept and improve the longevity of the components
- Silent Wings fan for virtually inaudible operation
- Full bridge + Synchronous Rectifier + LLC technology provides unmatched signal stability and extremely high efficiency
- Button to switch between single and multi-rail operation
- Full-mesh front with funnel-shaped air inlet upholds the high air circulation abilities
- Modular cable management for maximum convenience
- 10-year manufacturer's warranty
- Product conception, design and quality control in Germany



V1/25

* 1000W, 1200W

We do not take responsibility for typographical errors. Similar Image.

DARK POWER 14

Technical Data				
IN GENERAL	Model	1200W	1000W	850W
	Article no.	BP021EU	BP020EU	BP019EU
	EAN Code	4260052192030	4260052192023	4260052192016
	Voltage (Vac) / Frequency (Hz)	200 - 240 / 50 - 60		100 - 240 / 50 - 60
	Dimensions (L x W x H) (mm)	175 x 150 x 86		
	ATX 12V 3.1 / ATX 12V 2.x / EPS 12V 2.92	✓ / ✓ / ✓		
	Wire-free (DC-side)	✓		
	Silent Wings fan (mm)	140		
	Noise level (dB(A)) at 10 / 20 / 50 / 100% load	8 / 8 / 8.3 / 21.1	8 / 8 / 8 / 18.2	7.7 / 7.7 / 7.9 / 16
	12V rail (Multi-Rail) / 12V Single Rail	4 / ✓		
	Overclocking Key	✓		
	Power Good signal (ms)	100-150		
	PFC	active		
	Certification	80 PLUS® Titanium / Cybernetics Titanium		80 PLUS® Titanium
	Efficiency (%) at 230V, 2% / 10% / 20 % / 50% / 100% load	75.31 / 92.19 / 94.85 / 95.42 / 93.12	73.63 / 91.68 / 94.59 / 95.52 / 93.77	71.39 / 91.54 / 94.37 / 95.57 / 93.84
	Energy Star 9.0 compatible	✓		
	ErP ready / Power in stand-by (W)	✓ / <0.15		
OCP, OVP, UVP, SCP, OPP, OTP	✓			
Lifetime of PSU at 25°C (h)	>100,000			
CABLES	No. of cables	11	10	
	Maximum cable length (cm)	105		
	Length of ATX-connection cable (cm)	60		
	Cable management	Modular		
	Sleeved cables	✓		
CONNECTORS	ATX motherboard (20+4 pin)	✓		
	12V-2x6 cable W	2 600	1 600	
	PCI express (6+2 pin)	4		
	P8-/P4-connector	1x P4+4 / 1x P8		
	S-ATA	13		
	P-ATA	2		

Output Data										
AC Input		100 - 240Vac 50 - 60Hz 15 - 7A								
		200 - 240Vac 50 - 60Hz 7A								
DC Output		3.3V	5V	12V1	12V2	12V3	12V4	-12V	5VsB	
1200W	Max. Current	25A	24A	33A	33A	45A	45A	0.5A	3A	
	Max. Combined Power	120W		1200W					6W	15W
		1200W								


AC Input		100 - 240Vac 50 - 60Hz 13 - 6A								
		200 - 240Vac 50 - 60Hz 7A								
DC Output		3.3V	5V	12V1	12V2	12V3	12V4	-12V	5VsB	
1000W	Max. Current	25A	24A	33A	33A	40A	40A	0.5A	3A	
	Max. Combined Power	120W		996W					6W	15W
		1000W								

AC Input		100 - 240Vac 50 - 60Hz 10 - 5A								
DC Output		3.3V	5V	12V1	12V2	12V3	12V4	-12V	5VsB	
850W	Max. Current	24A	24A	30A	30A	35A	35A	0.5A	3A	
	Max. Combined Power	120W		840W					6W	15W
		850W								


DARK POWER 14

Cables

1200W




1000W / 850W



Logistics data

Region	Model	Article no	EAN code
EU	DARK POWER 14 1200W	BP021EU	4260052192030
EU	DARK POWER 14 1000W	BP020EU	4260052192023
EU	DARK POWER 14 850W	BP019EU	4260052192016
UK	DARK POWER 14 1200W	BP021UK	4260052194201
UK	DARK POWER 14 1000W	BP020UK	4260052194195
UK	DARK POWER 14 850W	BP019UK	4260052194188
US	DARK POWER 14 1200W	BP021US	4260052192061
US	DARK POWER 14 1000W	BP020US	4260052192054
US	DARK POWER 14 850W	BP019US	4260052192047
ROW US Cord	DARK POWER 14 1200W	BP021U2	4260052192092
ROW US Cord	DARK POWER 14 1000W	BP020U2	4260052192085
ROW US Cord	DARK POWER 14 850W	BP019U2	4260052192078
AR	DARK POWER 14 1200W	BP021AR	4260052193310
AR	DARK POWER 14 1000W	BP020AR	4260052193303
AR	DARK POWER 14 850W	BP019AR	4260052193297
AU	DARK POWER 14 1200W	BP021AU	4260052193341
AU	DARK POWER 14 1000W	BP020AU	4260052193334
AU	DARK POWER 14 850W	BP019AU	4260052193327
JP	DARK POWER 14 1200W	BP021JP	4260052193280
JP	DARK POWER 14 1000W	BP020JP	4260052193273
JP	DARK POWER 14 850W	BP019JP	4260052193266

Dimensions



Certifications



UK Authorised Representative (for authorities only) ProductIP (UK) Ltd.
8, Northumberland Av. London WC2N 5BY

Contact

be quiet! Headquarters

Listan GmbH
Wilhelm-Bergner-Straße 11c
21509 Glinde
Germany

Service hotline:

+49 40 7367 686 44

e-mail: service@bequiet.com
Visit the contact section on
bequiet.com for the right regional
service information.