


- **Style:** CTE (Centralized Thermal Efficiency) Form Factor Design
- **Size:** Mid Tower supports up to E-ATX (12" x 10.5") MB
- **Material:** Steel & Tempered Glass

Datasheet

Main Features

- **Connection :** Top I/O ports with 2 x USB 3.0 & 1 x USB 3.2 (Gen 2) Type C
- **Supports** AIO/DIY cooling solutions
- **Supports** hidden connector motherboard from ASUS and MSI
- **Dual front panels & three-way VGA installation**
- **Accessories :** 400mm PCI-E 4.0 riser cable and floating VGA bracket



Specification

Model	CTE E660 MX	CTE E660 MX Snow	CTE E600 MX Hydrangea Blue	CTE E600 MX Racing Green
P/N	CA-1Y3-00M1WN-01	CA-1Y3-00M6WN-01	CA-1Y3-00MFWN-01	CA-1Y3-00MCWN-01
Case Type	Mid Tower			
Chassis Dimension (H*W*D)	558.5 x 270 x 513mm (21.99 x 10.63 x 20.2 inch)			
Net Weight	15.85 kg / 34.94 lbs.			
Panel	4mm Tempered Glass x 2			
Color	Black	White	Hydrangea Blue	Racing Green
Material	SPCC			
Cooling System	-			
Drive Bays	3 x 3.5", 1 x 2.5" or 2 x 3.5", 2 x 2.5"			
Expansion Slots	7			
Motherboards	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX), 12" x 10.5" (E-ATX)			
I/O Port	USB 3.0 x 2, Type-C x1, HD Audio x 1			
PSU	Standard PS2 PSU (optional)			
Fan Support	Front: 3 x 120mm, 2 x 120mm, 1 x 120mm 3 x 140mm, 2x 140mm, 1 x 140mm Top: 2 x 120mm, 1 x 120mm Right (M/B Side): 3 x 120mm, 2 x 120mm, 1 x 120mm 3 x 140mm, 2x 140mm, 1 x 140mm Rear: 3 x 120mm, 2 x 120mm, 1 x 120mm 3 x 140mm, 2x 140mm, 1 x 140mm Bottom: 3 x 120mm, 2 x 120mm, 1 x 120mm 3 x 140mm, 2x 140mm, 1 x 140mm			
Radiator Support	Front: 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 420mm, 1 x 280mm, 1 x 140mm Top: 1 x 240mm, 1 x 120mm Right (M/B Side): 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 420mm, 1 x 280mm, 1 x 140mm Rear: 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 420mm, 1 x 280mm, 1 x 140mm Bottom (DIY only): 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 420mm, 1 x 280mm, 1 x 140mm			
Clearance	CPU cooler max height: 166mm VGA max length: 415mm (with radiator) 443.8mm (without radiator) PSU max length: 220mm			



Thermaltake CTE E660 MX Mid Tower Chassis

Packaging

Package Information	CTE E660 MX	CTE E660 MX Snow	CTE E660 MX Hydrangea Blue	CTE E660 MX Racing Green
EAN Code	4711475644403	4711475644410	4711475644427	4711475645233
UPC Code	841163094419	841163094426	841163094433	841163095249
N.W	15.85 kg / 34.94 lbs.			
G.W	17.93 kg / 39.53 lbs.			
Carton Size (L x W x H)	625.5 x 352 x 605 mm / 24.63 x 13.86 x 23.82 inch			
Cuft	4.7			
Container	w/o pallet			
20'	203 pcs			
40'	362 pcs			
40' HQ	483 pcs			

Appearance – Black version




Angle view




Left Side view



Front view



Right Side view



Internal Structure



Rear view




Top view



Bottom view

Appearance – Snow version




Angle view




Left Side view



Front view



Right Side view



Internal Structure



Rear view



Top view



Bottom view

Appearance — Hydrangea Blue version




Angle view



Left Side view



Front view



Right Side view



Internal Structure



Rear view



Top view



Bottom view

Appearance – Racing Green version




Angle view



Left Side view



Front view



Right Side view



Internal Structure



Rear view



Top view



Bottom view



Thermaltake CTE E660 MX Mid Tower Chassis

Unique Design





Dual Front Panels Design -

Tempered Glass and Perforated Mesh Front Panel



Thermaltake CTE E660 MX Mid Tower Chassis

Unique Design



Supports Hidden-Connector Motherboards

Structure (External)



1 x USB 3.2 (Gen 2) Type-C

2 x USB 3.0

HD Audio



Dual Chambers Design

Structure (External)




Tool-free,
easy-to-remove
Panels design




Rear filter


Structure (Internal)




Front filter



Top filter



Right side filter



Bottom filter

Structure (Internal)



2 x 2.5"



3 x 3.5"



Rotational PCI-e Slots

Floating VGA bracket design



400mm PCI-E 4.0 Riser Cable and Floating VGA Bracket



Floating VGA bracket/
400mm PCI-E 4.0 riser
cable in accessory box
supports flexible
installation

Structure (Internal)



Removable front fan bracket


2 x 120mm fan
on the top



3 x 140mm Fan at the bottom


Compatibility List

Fan Compatibility List			
	120mm	140mm	200mm
Front	3	3	-
Top	2	-	-
Rear	3	3	-
Right(M/B Side)	3	3	-
Bottom	3	3	-



All-in-One Compatibility

All-in-One Compatibility List						
	120mm	240mm	360mm	140mm	280mm	420mm
Front	●	●	●	●	●	●
Top	●	●	-	-	-	-
Rear	●	●	●	●	●	●
Right(M/B Side)	●	●	●	●	●	●
Bottom	-	-	-	-	-	-



DIY Liquid Cooling Compatibility

DIY Liquid Cooling Compatibility List						
	120mm	240mm	360mm	140mm	280mm	420mm
Front	●	●	●	●	●	●
Top	●	●	-	-	-	-
Rear	●	●	●	●	●	●
Right(M/B Side)	●	●	●	●	●	●
Bottom	●	●	●	●	●	●

